

MX-S+


Digital Vortex Mixer

Features

- LCD screen displays real-time speed and time for easy adjustment and monitoring.
- Adjustable speed ranges from gentle to vigorous mixing to suit various needs.
- Stable with pressure-mounted accessories to prevent slippage and splashing.
- Brushless DC motor for high stability and maintenance-free operation.
- Sturdy base ensures stability during operation for safety.
- Includes various accessories for different sizes and types of tubes and plates.
- Low noise for a quiet working environment.



Specifications	MX-S+
Speed	100-3000 rpm
Display	LCD
Amplitude	4 mm
Operating Modes	Touch, Continuous
Time Range	1 s - 99 min 59 s
Motor Type	Brushless DC Motor
Dimensions (L×W×H)	160x146x115mm
Weight	3.4kg
Power Supply	100-240 V, 50/60 Hz
Input Voltage	24 V
Power Consumption	25 W
Ambient Temperature & Humidity	5-40°C, 80% RH
Enclosure Protection	IP21



Accessories of Vortex Mixer MX-S+ & MX-Pro

Accessories of MX-S+&MX-Pro

VT2.3	Cat. No.18901365		VT2.5	Cat. No.18901367	
Universal top plate, compatible with VT1.3.1-VT1.3.12 Tube Adapter			Erlenmeyer flask attachment (100mL-250mL), Operating speed: 0-1500rpm		
VT2.4	Cat. No.18901366		PS2.1	Cat. No.18901360	
Ampule/Tube Attachment, 4pc ampule/tube (0.2mL-15mL)			Microplate clamp, Suitable for workboards (full skirt PCR plates, cell culture plates, enzyme-linked immunosorbent assay plates, deep well plates, etc. Half skirt/no skirt PCR plates need to be used with rectangular foam, which is already included)		

Accessories of MX-S+&MX-Pro (New)

VT2.1	Cat. No.18901379		VT2.6.4	Cat. No.18901375	
Top cup, Suitable for MX-Pro			Tube Adapter, 8 holes ×15mL Test Tube		
VT2.1	Cat. No.18901380		VT2.6.5	Cat. No.18901374	
Top cup, Suitable for MX-S+			Tube Adapter, 4 holes ×50mL Test Tube		
VT2.2	Cat. No.18901373		VT 2.7.4	Cat. No.18901870	
Flat Rubber Sleeve (Standard)			Horizontal Plastic Clamp, 24 holes ×1.5mL Test Tube (Circular plate)		
VT2.6	Cat. No.18901368		VT 2.7.5	Cat. No.18901871	
Snap-in Universal top plate, compatible with VT2.6.1-VT2.6.5 Tube Adapter			Horizontal Plastic Clamp, 12 holes ×15mL Test Tube (Circular plate)		
VT2.6.1	Cat. No.18901378		VT 2.7.6	Cat. No.18901872	
Tube Adapter, 25 holes ×1mL Test Tube			Horizontal Plastic Clamp, 6 holes ×50mL Test Tube (Circular plate)		
VT2.6.2	Cat. No.18901377		PS2.2	Cat. No.18901361	
Tube Adapter, 21 holes ×2mL Test Tube			Snap-in Microplate clamp, Suitable for workboards (full skirt PCR plates, cell culture plates, enzyme-linked immunosorbent assay plates, deep well plates, etc. Half skirt/no skirt PCR plates need to be used with rectangular foam, which is already included)		
VT2.6.3	Cat. No.18901376				
Tube Adapter, 16 holes ×5mL Test Tube					

*Material color may vary slightly during the initial launch phase. Please refer to the actual product.